

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
-	1	5996029.pn.	USPAT; US-PGPUB	2004/06/24 10:34
-	1310	709/223.ccls. and @ad<20000315	USPAT; US-PGPUB	2004/06/14 11:14
-	6	(709/223.ccls. and @ad<20000315) and (broadcast\$4 NEAR4 receiver)	USPAT; US-PGPUB	2004/06/14 11:21
-	1	(709/223.ccls. and @ad<20000315) and ((bad or wrong or incorrect) NEAR4 data NEAR3 server)	USPAT; US-PGPUB	2004/06/14 11:24
-	838	(detect\$3 or identify\$4 or recogniz\$4 or discover\$4) NEAR5 (bad or wrong or incorrect) NEAR5 data and @ad<20000315	USPAT; US-PGPUB	2004/06/14 11:26
-	0	client NEAR3 (detect\$3 or identify\$4 or recogniz\$4 or discover\$4) NEAR5 (bad or wrong or incorrect) NEAR5 server NEAR3 data and @ad<20000315	USPAT; US-PGPUB	2004/06/14 11:26
-	0	client NEAR8 (detect\$3 or identify\$4 or recogniz\$4 or discover\$4) NEAR5 (bad or wrong or incorrect) NEAR5 server NEAR8 data and @ad<20000315	USPAT; US-PGPUB	2004/06/14 11:26
-	1	(detect\$3 or identify\$4 or recogniz\$4 or discover\$4) NEAR5 (bad or wrong or incorrect) NEAR5 server NEAR8 data and @ad<20000315	USPAT; US-PGPUB	2004/06/14 11:27
-	21	server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4) NEAR4 (bad or wrong or incorrect) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:45
-	51	(notify\$4 or alert\$4) NEAR5 (bad or wrong or incorrect) NEAR3 (data or broadcast\$4 or information) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:45
-	286	server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4 or provid\$4) SAME (bad or wrong or incorrect or inaccurate) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 12:46
-	265	(server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4 or provid\$4) SAME (bad or wrong or incorrect or inaccurate) and @ad<20000315) not (server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4) NEAR4 (bad or wrong or incorrect) and @ad<20000315)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:47
-	39	server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4 or provid\$4) NEAR8 (bad or wrong or incorrect or inaccurate) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:48
-	18	(server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4 or provid\$4) NEAR8 (bad or wrong or incorrect or inaccurate) and @ad<20000315) not (server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4) NEAR4 (bad or wrong or incorrect) and @ad<20000315)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 11:55
-	85	client NEAR5 (identif\$4 or determin\$4 or detect\$4) NEAR8 (fault\$4 or fail\$4) NEAR3 server and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 12:45
-	6	broadcast\$4 SAME (server NEAR5 (issu\$4 or transmit\$4 or send\$3 or transfer\$4 or provid\$4) SAME (bad or wrong or incorrect or inaccurate)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 12:57

jm
6/24/04

-	103	server SAME (transmit\$4 or send\$4 or broadcast\$4) NEAR10 (bad or wrong or incorrect or inaccurate) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 13:16
-	29	"DHCPNAK" and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 13:17
-	191	(identify\$4 or detect\$4) NEAR4 server NEAR5 (error or wrong or bad or false or inaccurate or invalid or unauthentic or incorrect) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:31
-	43	((identify\$4 or detect\$4) NEAR4 server NEAR5 (error or wrong or bad or false or inaccurate or invalid or unauthentic or incorrect) and @ad<20000315) and broadcast\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:18
-	30	(identify\$4 or detect\$4) NEAR4 server NEAR5 (error or wrong or bad or false or inaccurate or invalid or unauthentic or incorrect) NEAR4 (data or information or file) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:36
-	572	(identify\$4 or detect\$4) NEAR4 (client or receiver) NEAR5 (error or wrong or bad or false or inaccurate or invalid or unauthentic or incorrect) NEAR4 (data or information or file) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:41
-	1	(client or receiver) NEAR5 (identif\$5 or detect\$4 or discover\$4) NEAR7 ((faulty or bad) NEAR3 (server or broadcast\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 14:44
-	53	(client or receiver) NEAR5 (identif\$5 or detect\$4 or discover\$4) NEAR7 ((faulty or bad or fail\$3) NEAR3 (server or broadcast\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:24
-	3	server NEAR5 broadcast\$5 NEAR10 ((incorrect or invalid or wrong or bad) NEAR3 (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:26
-	38	server NEAR5 (distribut\$6 or send\$3 or transmit\$5) NEAR10 ((incorrect or invalid or wrong or bad) NEAR3 (information or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:35
-	19	client NEAR5 (record or list or table) NEAR5 (invalid or inoperable or down or fail\$4) NEAR3 server and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:42
-	0	(DHCP NEAR2 server) SAME (broadcast\$4 NEAR10 (fail\$5 or down or error or fault)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:43
-	0	(DHCP NEAR4 server) SAME (broadcast\$4 NEAR10 (fail\$5 or down or error or fault)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:43
-	4	(DHCP NEAR4 server) SAME (broadcast\$4 SAME (fail\$5 or down or error or fault)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:45

-	0	(DHCP NEAR4 farm) SAME broadcast\$4 and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:46
-	295	identif\$7 SAME ((incorrect or invalid or bad or wrong or erro\$5) NEAR4 server) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:48
-	64	(identif\$7 SAME ((incorrect or invalid or bad or wrong or erro\$5) NEAR4 server) and @ad<20000315) and broadcast\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 15:48
-	47	DHCPDISCOVER SAME DHCPPOFFER and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:39
-	2	(DHCPDISCOVER SAME DHCPPOFFER and @ad<20000315) and 709/229.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:16
-	4	(DHCPDISCOVER SAME DHCPPOFFER and @ad<20000315) and 709/225.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:16
-	43	(DHCPDISCOVER SAME DHCPPOFFER and @ad<20000315) and (error or invalid or bad or wrong or incorrect)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:18
-	89	(DHCP NEAR8 server) SAME (fail\$6 or down\$6 or crash\$4) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 16:40
-	1	(reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) NEAR6 (DHCP adj2 offer) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 08:22
-	2	(reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) SAME (DHCP adj2 offer) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 08:23
-	35	(reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) SAME (DHCP) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 08:40
-	75	(reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) SAME ((one or first) NEAR6 server NEAR5 (offer or request)) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 08:52
-	29	(reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) SAME ((fault\$3 or bad or incorrect or invalid) NEAR3 server) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 08:57
-	1	client NEAR4 (reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) NEAR8 ((fault\$3 or bad or incorrect or invalid or down) NEAR3 server) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 08:57

-	37	client NEAR4 (reject\$3 or discard\$3 or ignore\$3 or ("not" adj2 accept)) NEAR8 server NEAR5 (offer or response or message) and @ad<20000305	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 09:02
-	7	(ignor\$4 or discard\$3 or reject\$4) NEAR8 server NEAR8 broadcast\$4 and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 09:04
-	74	(ignor\$4 or discard\$3 or reject\$4 or ("not" adj2 accept)) SAME (server NEAR8 broadcast\$4) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 09:05
-	67	((ignor\$4 or discard\$3 or reject\$4 or ("not" adj2 accept)) SAME (server NEAR8 broadcast\$4) and @ad<20000315) not ((ignor\$4 or discard\$3 or reject\$4) NEAR8 server NEAR8 broadcast\$4 and @ad<20000315)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 09:54
-	724	714/4.ccls. and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:09
-	64	(714/4.ccls. and @ad<20000315) and ((block\$3 or stop\$4 or ban\$4 or isolat\$6) NEAR3 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:15
-	1290	714/6,7,8.ccls. and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:09
-	44	(714/6,7,8.ccls. and @ad<20000315) and ((block\$3 or stop\$4 or ban\$4 or isolat\$6) NEAR3 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:10
-	0	((block\$3 or stop\$4 or ban\$4 or isolat\$6) NEAR3 server NEAR8 (transmit\$4 or distribut\$6 or broadcast\$3 or anycast\$4 or multicast\$4) NEAR8 (bad or incorrect or wrong or faulty) NEAR8 (version or data or information or offer)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:17
-	5	((block\$3 or stop\$4 or ban\$4 or isolat\$6) NEAR3 server NEAR8 (transmit\$4 or distribut\$6 or broadcast\$3 or anycast\$4 or multicast\$4) NEAR8 (bad or incorrect or wrong or faulty)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:37
-	530	((block\$3 or stop\$4 or ban\$4 or isolat\$6) NEAR3 server NEAR8 (transmit\$4 or distribut\$6 or broadcast\$3 or anycast\$4 or multicast\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:38
-	5	((block\$3 or stop\$4 or ban\$4 or isolat\$6) NEAR3 server NEAR8 (transmit\$4 or distribut\$6 or broadcast\$3 or anycast\$4 or multicast\$4)) and @ad<20000315) and (714/4.ccls. and @ad<20000315)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 10:37
-	195	((blocking or stop\$4 or ban\$4 or isolat\$6) NEAR3 server NEAR8 (transmit\$4 or distribut\$6 or broadcast\$3 or anycast\$4 or multicast\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 11:22
-	19	((blocking or stop\$4 or ban\$4 or isolat\$6) NEAR10 (fault\$2 or defect\$4 or down or fail\$3) NEAR3 server NEAR8 (transmit\$4 or distribut\$6 or broadcast\$3 or anycast\$4 or multicast\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 11:00

-	1007	((blocking or stop\$4 or ban or banning or isolat\$6) NEAR3 server) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 11:26
-	70	((blocking or stop\$4 or ban or banning or isolat\$6) NEAR8 (fault\$3 or incorrect or invalid or wrong or down) NEAR3 server) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 11:27
-	345	(identify\$3 or detect\$3 or determin\$3 or recogniz\$3) NEAR5 ((incorrect or bad or wrong) NEAR5 (data or information or file or version)) SAME (transmit\$4 or distribut\$4 or transfer\$4) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:08
-	0	(identify\$3 or detect\$3 or determin\$3 or recogniz\$3) NEAR5 ((incorrect or bad or wrong) NEAR5 (data or information or file or version)) NEAR6 (server NEAR4 (transmit\$4 or distribut\$4 or transfer\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:09
-	0	(identify\$3 or detect\$3 or determin\$3 or recogniz\$3) NEAR5 ((incorrect or bad or wrong) NEAR5 (data or information or file or version)) NEAR12 (server NEAR4 (transmit\$4 or distribut\$4 or transfer\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:09
-	1	(identify\$3 or detect\$3 or determin\$3 or recogniz\$3) NEAR5 ((incorrect or bad or wrong) NEAR5 (data or information or file or version)) SAME (server NEAR4 (transmit\$4 or distribut\$4 or transfer\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:10
-	1	(identify\$3 or detect\$3 or determin\$3 or recogniz\$3) NEAR5 ((incorrect or bad or wrong) NEAR5 (data or information or file or version)) SAME (server NEAR8 (transmit\$4 or distribut\$4 or transfer\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:10
-	58	(identify\$3 or detect\$3 or determin\$3 or recogniz\$3) NEAR5 ((incorrect or bad or wrong) NEAR5 (data or information or file or version)) AND (server NEAR8 (transmit\$4 or distribut\$4 or transfer\$4)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:19
-	0	(isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) NEAR5 ((distribut\$4) NEAR8 (incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:23
-	0	(isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) NEAR20 ((distribut\$4) NEAR10 (incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:24
-	0	(isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) SAME ((distribut\$4) NEAR10 (incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:25
-	13	(isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) AND ((distribut\$4) NEAR10 (incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:27
-	176	(isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) NEAR10 ((incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:27
-	107	(isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) NEAR4 ((incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:31

-	2789	server NEAR5 (updat\$4) NEAR6 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:28
-	8	((isolat\$3 or block\$3 or "ban" or "banning" or stop\$4) NEAR4 ((incorrect or bad or wrong or old or outdated) NEAR3 (version or update)) and @ad<20000315) and (server NEAR5 (updat\$4) NEAR6 client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:28
-	257	717/170,171,172.ccls. and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:31
-	67	(717/170,171,172.ccls. and @ad<20000315) and ((block\$3 or isolat\$4 or ban or banning or stop\$4) NEAR9 (server or updat\$4 or distributor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:33
-	15	(717/170,171,172.ccls. and @ad<20000315) and ((isolat\$4 or ban or banning or stop\$4) NEAR9 (server or updat\$4 or distributor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:34
-	11	(717/170,171,172.ccls. and @ad<20000315) and ((wrong or incorrect or bad) NEAR3 (data or information or version))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:37
-	913	server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) SAME ((wrong or bad or incorrect or invalid or (old NEAR5 version)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:41
-	1	(server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) SAME ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and (717/170,171,172.ccls. and @ad<20000315)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:39
-	248	(server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) SAME ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:41
-	152	server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) NEAR5 ((wrong or bad or incorrect or invalid or (old NEAR5 version)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:41
-	0	(server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) NEAR5 ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and 714/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:41
-	46	(server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) NEAR5 ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:47
-	52	(server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) NEAR5 ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:47

-	35	((server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) NEAR5 ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and @ad<20000315) not ((server NEAR8 (distribut\$5 or deliver\$4 or transmit\$4 or transfer\$5) NEAR5 ((wrong or bad or incorrect or invalid or (old NEAR5 version)))) and 709/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:53
-	1	(717/170,171,172.ccls. and @ad<20000315) and (714/4,6,7,8.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 09:54
-	32	(prevent\$3 or isolat\$4 or ban or banning or stop\$4) NEAR9 server NEAR5 (bad or incorrect or wrong or old or outdated) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 10:08
-	218	server NEAR6 (issu\$4 or distribut\$4 or prevent\$3 or transfer\$4 or transmit\$4 or send\$4 or updat44) NEAR8 (wrong or bad or incorrect or invalid or faulty or error) NEAR3 (data or information or file or version) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 10:23
-	33	server NEAR6 (issu\$4 or distribut\$4 or prevent\$3 or transfer\$4 or transmit\$4 or send\$4 or updat44) NEAR8 (wrong or bad or incorrect or invalid or faulty) NEAR3 (data or information or file or version) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 10:27
-	13	prevent\$4 NEAR8 (client or user) NEAR8 (receiv\$4 or download\$3 or accept\$4) NEAR9 (incorrect or wrong or bad) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 10:29
-	19	(broadcast\$4 NEAR4 request\$3) SAME ((incorrect or bad or wrong or invalid) NEAR4 (data or information)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 10:50
-	77	(identify\$4 or determin\$5 or detect\$4) NEAR8 (fault\$4 or incorrect or invalid or malicious) NEAR8 (broadcast) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 11:41
-	955	(identify\$4 or determin\$5 or detect\$4) NEAR8 (fault\$4 or incorrect or invalid or malicious) NEAR8 (server or transmitter) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 11:42
-	343	(identify\$4 or determin\$5 or detect\$4) NEAR3 (fault\$4 or incorrect or invalid or malicious) NEAR2 (server or transmitter) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 11:42